

# SAFETYDATASHEET

## 1. Product and Company Identification

Wood Bleach Part 1 **Product identifier** 

Other means of identification Bleach1 Recommended use Bleach **Recommended restrictions** None known.

John E. Goudey Manufacturing Limited Manufacturer information

> 21 Primrose Avenue Toronto, ON M6H 3V1 CA Phone: (416)531-4669

Supplier See above. **CANUTEC** (613) 996-6666

### 2. Hazards Identification

**Physical hazards** Oxidizing liquids Category 2 Health hazards Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1

**Environmental hazards** Not classified. WHMIS 2015 defined hazards Not classified

Label elements



Signal word Danger burns and eye damage.

**Hazard statement** May intensify fire; oxidizer. Causes severe skin

**Precautionary statement** 

parks, open flames and other ignition sources. No Prevention smoking.

Keep away from clothing and other combustible clothing/eye protection/face protection. Do not k

Response In case of fire: Use appropriate media to extinguish.

> IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC) Hazard(s) not otherwise classified (HNOC)

None known

None known

None known.

**Supplemental information** 

None.

## 3. Composition/Information on Ingredients

% **Chemical name** Common name and synonyms **CAS** number Hydrogen peroxide 7722-84-1

#28075 Page: 1 of 14 Issue date 03-July-2018

#### **Mixture**

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. Composition US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

> \*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First Aid Measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/doctor.

Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Immediately call a POISON CENTER/doctor. Specific treatment (see information on this label).

Wash contaminated clothing before reuse.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF

SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON

blindness could result.

Most important

Ingestion

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed **General information**  Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

Provide general supportive measures and treat symptomatically.

Take off all contaminated clothing immediately. Contact with combustible material may cause fire. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Wear suitable protective clothing. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Do not inhale vapours. Avoid contact with eyes and skin. Keep out of reach of children. Contact with combustible material and heat may cause fire.

#### 5. Fire Fighting Measures

Suitable extinguishing media Unsuitable extinguishing media

Water Fog. Carbon dioxide.

chemical

Special protective equipment

and precautions for firefighters Fire-fighting

equipment/instructions

Specific hazards arising from the Greatly increases the burning rate of combustible materials. Containers may explode when heated. During fire, gases hazardous to health may be formed.

Firefighters should wear full protective clothing including self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes. In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk. Cool containers with flooding

quantities of water until well after fire is out. Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

May intensify fire; oxidizer. Contact with combustible material may cause fire. These substances General fire hazards

will accelerate burning when involved in a fire.

Hazardous combustion products

Decomposition releases oxygen which may intensify fire.

#### 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

materials for Stop leak if you can do so without risk. Use water spray to reduce vapors or divert vapor cloud Methods and drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). containment and cleaning up Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. Wear appropriate protective equipment and clothing during clean-up. Should not be released into the environment. Prevent entry into waterways, sewer, basements or confined areas. Large Spills: Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. **Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not discharge into lakes, streams, ponds or public waters. 7. Handling and Storage Precautions for safe handling Keep away from heat. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Provide adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink. Conditions for safe storage, Store locked up. Keep away from heat, open flames or other sources of ignition. Store in original including any incompatibilities tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children. Store in a cool, dry, well-ventilated place away from incompatible materials. Do not store in an unvented container. Never return spilt product to original container. Storage room must have jointless, smooth concrete floors. 8. Exposure Controls/Personal Protection Occupational exposure limits Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) Components Type Value Hydrogen peroxide (CAS **TWA** 1.4 mg/m3 7722-84-1) 1 ppm Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) Components Type Value Hydrogen peroxide (CAS **TWA** 1 ppm 7722-84-1) Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) Components Type Value Hydrogen peroxide (CAS **TWA** 1 ppm 7722-84-1) Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) Components Type Value **TWA** Hydrogen peroxide (CAS 1 ppm 7722-84-1) Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) Components Type Hydrogen peroxide (CAS TWA 7722-84-1) 1.4 mg/m3 1 ppm

#28075 Page: 3 of 14 Issue date 03-July-2018

Components	Туре	Value				
Hydrogen peroxide (CAS 772	2-84- PEL	1.4 mg/m3				
,		1 ppm				
US. ACGIH Threshold Limit	Values					
Components	Туре	Value				
Hydrogen peroxide (CAS 772 1)	2-84- TWA	1 ppm				
US. NIOSH: Pocket Guide to Chemical Hazards						
Components	Туре	Value				
Hydrogen peroxide (CAS	TWA	1.4 mg/m3				
7722-84-1)		1 ppm				
logical limit values	No biological exposure limits note	ed for the ingredient(s).				
osure guidelines See above						
oropriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.					
Eye/face protection	otection Wear chemical goggles and face shield.					
Skin protection						

Hand protection

Other

Nitrile rubber PVC gloves. Neoprene gloves. Do not wear cotton, wool or leather gloves.

As required by employer code.

Not applicable.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Do not use any form of air-purifying respirator (APR), especially those containing oxidizable

sorbents such as activated carbon.

Thermal hazards

General hygiene

considerations

Keep from contact with clothing and other combustible materials. Remove and wash contaminated clothing promptly. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink. 9. Physical

and Chemical Properties

Clear **Appearance** Liquid. Physical state Liquid **Form** Colourless Color **Noxious** Odor Not available. **Odor threshold** 

5.1

Melting point/freezing point

< 32 °F (< 0 °C)

Initial boiling point and boiling

219.2 - 235.4 °F (104 - 113 °C)

range

Not available. Pour point

1.1 Specific gravity

Partition coefficient (n-octanol/water)

Flash point

**Evaporation rate** 

Not available.

Non combustible Not available. Not applicable. Flammability (solid, gas)

Individual protection measures, such as personal protective equipment

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available.

> Explosive limit - lower (%) 18 - 27 mm Hg @ 20°C

Explosive limit - upper (%) Vapor pressure Vapor density Relative density Solubility(ies) g **Auto-ignition temperature** h **Decomposition temperature** е Viscosity Other information Explosive properties Oxidizing properties h VOC (Weight %) а

#### 10. Stability and Reactivity

Reactivity Keep away from combustible material. Greatly increases the burning rate of combustible materials. This product may react with strong acids. This product may react with strong oxidizing agents. This product may react with reducing agents. Reacts vigorously with alkaline material.

а

Ν

Non combustible Non combustible

0 h t ı а Ν а 0 а а b а е Complete а Ν b 0 n е С

Not available. 0

m

Not explosive. b

May intensify fire; oxidizer. u

0 g/l

s

Possibility of hazardous

reactions

Chemical stability Stable under recommended storage conditions. May decompose if heated.

Conditions to avoid Heat. Do not mix with other chemicals.

Incompatible materials Acids. Reducing agents. Metals. Caustics. Combustible materials.

Hazardous decomposition

products

May include and are not limited to: Oxygen.

Hazardous polymerization does not occur.

## 11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion. osure

Information on likely routes of

Ingestion Causes digestive tract burns. May cause stomach distress, nausea or vomiting.

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may and include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

**Acute toxicity** 

Components **Species Test Results** 

Hydrogen peroxide (CAS 7722-84-1)

Acute

Dermal

Rabbit LD50

> > 2000 mg/kg, 24 Hours, ECHA Rat

3000 - 5480 mg/kg, ECHA

Inhalation

Rat LC50

> 170 mg/m3, 4 Hours, ECHA

Oral LD50

1270 mg/kg, ECHA 1193 mg/kg, ECHA

1026 mg/kg, ECHA, male

872 mg/kg, ECHA 801 mg/kg, ECHA

693.7 mg/kg, ECHA, female

Skin corrosion/irritation Causes severe skin burns and eye damage.

Rat

**Exposure minutes** Not available. Erythema value Not available. Oedema value Not available.

Serious eye damage/eye Causes serious eye damage.

irritation

Corneal opacity value Not available. Not available. Iris lesion value Conjunctival reddening Not available.

value

Conjunctival oedema value Not available. Recover days Not available.

Respiratory or skin sensitization Canada - Alberta OELs: Irritant

> Hydrogen peroxide (CAS 7722-84-1) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity Non-hazardous by WHMIS/OSHA criteria.

Carcinogenicity See below.

#28075 Page: 7 of 14 Issue date 03-July-2018 **ACGIH Carcinogens** 

Hydrogen peroxide (CAS 7722-84-1)

A3 Confirmed animal carcinogen with unknown relevance to humans.

Canada - Manitoba OELs: carcinogenicity

HYDROGEN PEROXIDE (CAS 7722-84-1) Confirmed animal carcinogen with unknown relevance to humans. IARC

Monographs. Overall Evaluation of Carcinogenicity

Hydrogen peroxide (CAS 7722-84-1) Volume 36, Supplement 7, Volume 71 - 3 Not classifiable as to

carcinogenicity to humans.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

**Teratogenicity** Non-hazardous by WHMIS/OSHA criteria.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity - Not classified. repeated

exposure

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

#28075 Page: 8 of 14 Issue date 03-July-2018

12.	2. Ecological Information		

**UN** number

Hydrogen, peroxide, aqueous solutions with more than 40 percent but not more than 60 percent hydrogen peroxide (stabilized as necessary) Proper shipping name

**Hazard class** 

5.1 8

#28075 Page: 10 of 14 Issue date 03-July-2018 Ecotoxicity this product have been identified as havin

Ecotoxicological data

Components

**Species Test Results** 

Hydrogen peroxide (CAS 7722-84-IC50

Algae 2.5 mg/L, 72 Hours Algae

EC50 7.7 mg/L, 48 Hours

Daphnia Crustacea

e product is biodegradable by adsorption ( Persistence and degradability on of the hydrogen peroxide in water and c

Bioaccumulative potential No data available. No data available. Mobility in soil Not available. Mobility in general

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal Considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Dispose of contents/container in accordance with local/regional/national/international regulations. Review federal, provincial, and local government

requirements prior to disposal.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport Information

#28075 Page: 11 of 14 Issue date 03-July-2018 Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the

product will appear below.

#### U.S. Department of Transportation (DOT) Basic

shipping requirements:

Special provisions 12, A60, B53, B80, B81, B85, IB2, IP5, T7, TP2, TP6, TP24, TP37

Packaging exceptions **Packaging** non bulk202 Packaging bulk 243

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

**UN number** UN2014

Proper shipping name HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than

60% hydrogen peroxide (stabilized as necessary)

**Hazard class** 5.1 Subsidiary hazard class 8 П Packing group

DOT







## 15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

Precursor Control Regulations Not

regulated.

WHMIS 2015 Exemptions Not applicable

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

Hydrogen peroxide (CAS 7722-84-1)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

#28075 Page: 12 of 14 Issue date 03-July-2018 Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely<sub>NO</sub>

hazardous substance

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting) Not

regulated.

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

See below

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

US state regulations

US - California Hazardous Substances (Director's): Listed substance

Hydrogen peroxide (CAS 7722-84-1) Listed.

**US - Illinois Chemical Safety Act: Listed substance** 

Hydrogen peroxide (CAS 7722-84-1)

**US - Minnesota Haz Subs: Listed substance** 

Hydrogen peroxide (CAS 7722-84-1) Listed.

US - New Jersey RTK - Substances: Listed substance

Hydrogen peroxide (CAS 7722-84-1)

**US - Texas Effects Screening Levels: Listed substance** 

Hydrogen peroxide (CAS 7722-84-1) Listed.

**US. Massachusetts RTK - Substance List** 

Hydrogen peroxide (CAS 7722-84-1)

US. New Jersey Worker and Community Right-to-Know Act

Hydrogen peroxide (CAS 7722-84-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Hydrogen peroxide (CAS 7722-84-1)

US. Rhode Island RTK

Hydrogen peroxide (CAS 7722-84-1)

US. California Proposition 65 Not

Listed.

#### Inventory status

Country(s) or region Inventory name On inventory(yes/no)\*

Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory


Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#### 16.Other Information







#28075 Page: 13 of 14 Issue date 03-July-2018

Disclaimer Information contained herein was obtained from sources considered technically accurate and

reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty,

expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document. The information in the sheet was written based on the best knowledge and

experience currently available.

Issue date 03-July-2018

Version # 02

Effective date 03-July-2018

Prepared by Dell Tech Laboratories Ltd. Phone: (519) 858-5021

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

#28075 Page: 14 of 14 Issue date 03-July-2018